



# Top Stone® Pre-Qualification

- 1. Top Stone® Profile
- 2. Technical Data
- 3. Projects Highlight
- 4. Projects Reference List
- 5. Licenses And Certificates
- 6. Quality Assurance Certificates
- 7. Contacts



# 1. Top Stone® profile:



#### 1.1 Background:

Top Stone® was created in the year 1993 after carefully researching the market need and requirement. It is made of modified acrylic resin and ATH. Top Stone® committed to customer satisfaction through adopting the highest international standards and leading edge solid surface manufacturing techniques. With headquarters in Riyadh, Al Romaizan Factory for Solid Surfaces manufacture's superior and hygienic product. Our philosophy is to invest in people and technology with an aim to create superior product and services and contribute positively in the growth of society globally.

#### 1.2 Vision:

To be recognized as the leading of solid surface provider globally.

#### 1.3 Mission:

To continuously improve and satisfy our customer needs by providing high quality aligning with our business strategies, harnessing opportunities, acquiring new capabilities, creating job opportunities and investing in our people and community at large.

#### 1.4 Values:

#### • Respect:

We respect our clients, employees, partners and dealers. We respect the environment, our duty to society and the law.

• Integrity:

We believe in integrity in business and trust that our employees are ethical and honest.

• Fairness:

We treat all our employees equally and develop and promote them with fairness.





#### **Technical Data:** 2.

#### 2.1 **Product profile:**

#### 2.1.1 **Product identification:**

Top Stone<sup>®</sup> is a solid surface material.

#### 2.1.2 Manufacture:

Al Romaizan Factory for Solid Surfaces, PO Box 50855, Riyadh 11533, KSA. Tel. +966 11 2815337 and Fax. +966 11 2815338.

#### 2.1.3 Product description:

Top Stone<sup>®</sup> is an acrylic modified resin-based material with aluminum hydroxide as filler, which creates a surfacing material that looks like stone but cuts and shapes like wood.

#### **Sheet sizes:**

Top Stone® is available in the form of sheets in standard sizes, and shaped or molded in standard designs.

Sheet Sizes: 700 x 3660mm and 760 x 3660mm

Thickness: 6 mm - 12 mm - 18 mm (Special Order) – 24 mm (Special Order).

Special Sheet Lengths of 1220 mm and 2440 mm (1/3 and 2/3 of sheet length respectively) would be available on request and prior arrangement.

Other custom sheet sizes and shaped designs could however be manufactured under certain circumstance upon request.

#### 2.1.5 Basic uses:

Top Stone® can be cut and shaped as easily as wood to create a variety of products including laboratory, kitchen, and restaurant counters, worktops, vanities, desks, wall cladding and shower tub enclosures. The varied usages are found in this Consultant Manual.

#### 2.1.6 **Hygienic:**

Top Stone® is non-porous and homogeneous material, which prevents the penetration and growth of bacteria. This makes it an ideal choice for surfaces subjected to food contact. Top Stone® has been awarded the quality and merit Certificate from the Royal Institute of Public Health and Hygiene, England yearly for the past eight years since 1994.



#### 2.1.7 Warranty:

Top Stone® sheet and fabricated products carry 14 years written Warranty. Copies of our warranty can be obtained from your nearest authorized Distributer of certified fabricator / Installer.

Sinks and Bowls

All standard models of the Top Stone<sup>®</sup> sinks and bowls are available in any our solid colors. Please refer to our list of sink and bowl models in this manual.

#### **2.1.8** Colors:

A complete selection of granite and solid colors are available from Top Stone<sup>®</sup>. Custom colors can be made upon special request. (A minimum order quantity). Sinks and Bowls are available in any of our solid colors.

#### 2.1.9 Finishing:

A variety of finishes are available from Top Stone<sup>®</sup>. Matte finishes are commonly used in high use areas such as kitchen worktops, whereas, a high gloss finish in used primarily for wall cladding, light duty vanities, and other low use areas, by using the polishing compounds recommended by the manufacturer.

#### 2.1.10 Fabrication and installation:

Top Stone<sup>®</sup> must be fabricated by a certified Top Stone<sup>®</sup> Fabricator, to assure maximum quality workmanship and service life.



#### Technical properties and tests results: 2.2

#### 2.2.1 Technical data:

| Method                   | Test                                       | Unit                            | Result      |
|--------------------------|--|---------------------------------|-------------|
|                          | Flexural Properties                        |                                 |             |
| ASTM D790-00             | Flexural Strength                          | Psi                             | 6220        |
|                          | Flexural Modulus                           | Psi                             | 1.40E+06    |
|                          | Tensile Properties                         |                                 |             |
| ASTM D638-01             | Tensile Strength                           | Psi                             | 4200        |
|                          | Tensile Modulus                            | Psi                             | 1.30E+06    |
| ASTM D2583-95            | Barcol Hardness                            | Barcol Scale                    | 59          |
| ASTM D256-00             | Izod Impact                                | Foot pounds/inch                | 0.25        |
| NEMA LD3-2000<br>3.8     | Ball Impact<br>Resistance                  | Inches of drop with no fracture | 64          |
| ASTM E162-98             | Flame Spread                               | Flame Spread Index              | 25          |
| ASTM D635-98             | Flammability                               | Flammability Rating             | No Ignition |
| ASTM D570-98             | Water Absorption                           | % Increase                      | 0.04        |
| ASTM D792-00             | Specific Gravity                           | Sp gr 23/23 deg C               | 1.6753      |
| ASTM D523-89<br>(1999)   | 60 DegReflectometer<br>Value               | Spectral Gloss                  | 3           |
| ASTM D696-98             | Coefficient of Linear<br>Thermal Expansion | Inch/inch/deg C                 | 3.18E-05    |
| ASTM D1894-01            | Coefficient of                             | Static Coefficient              | 0.36        |
| ASTWI D1094-01           | Friction                                   | Kinetic Coefficient             | 0.28        |
| Modified ASTM<br>C518-98 | Thermal Conductivity                       | W/MK                            | 0.37        |



#### 2.2.2 Chemical resistance test results:

| Acids                      | Result     |
|----------------------------|------------|
| Glacial Acetic Acid, 99.5% | Color Only |
| Hydrochloric Acid, 35.4%   | No Effect  |
| Hydrochloric Acid, 37.0%   | Color Only |
| Per chloric Acid, 60.0%    | Color Only |
| Phosphoric Acid, 80.0%     | Color Only |
| Citric Acid, 10.0%         | No Effect  |
| Citric Acid, 50.0%         | No Effect  |
| Sulfuric Acid, 98.0%       | Color Only |
| Sulfuric Acid, 20.0%       | No Effect  |
| Benzoic Acid, 50.0%        | Color Only |
| Tartaric Acid, 50.0%       | Color Only |
| Other Chemicals            | Result     |
| Ammonium Hydroxide, 50.0%  | No Effect  |
| Barium Hydroxide           | No Effect  |
| Sodium Hydroxide, 40.0%    | No Effect  |
| Sodium Hydroxide, 50.0 %   | No Effect  |
| Calcium Hydroxide          | No Effect  |
| Formaldehyde (c)           | No Effect  |
| Benzene, 99.0% (c)         | No Effect  |
| Hydrogen Peroxide, 100.0%  | No Effect  |
| Toluene, 99.0% (c)         | No Effect  |
| Methanol                   | No Effect  |
| Carbon Tetrachloride       | No Effect  |
| Ethanol                    | No Effect  |
| Gasoline                   | No Effect  |
| Urea, saturated            | No Effect  |

Although Top Stone® has been tested as per the American Standard NEMA 3 - 3.09 for laboratory applications, it is impossible to test Top Stone® Products with the 11,500 chemicals used daily in laboratories worldwide. The strength and the temperature of the chemicals, as well as the exposure time can affect the test results. It is highly recommended therefore, to do in-house testing on Top Stone® samples to confirm its suitability with proposed chemicals and laboratory practices.



# 2.2.3 Liquid's resistance test results:

| Liquid's                            | Result    |
|-------------------------------------|-----------|
| Tap Water                           | No Effect |
| 50-50 SD-3A Ethyl Alcohol and Water | No Effect |
| Isopropyl Alcohol, 70.0%            | No Effect |
| 50 - 50 VM, P Naphtha and SD-3A     | No Effect |
| Ethyl Alcohol                       | No Effect |
| Nail Polish Remover                 | No Effect |
| Household Soap Solution             | No Effect |
| Household Detergent Solution        | No Effect |
| Household Ammonia                   | No Effect |
| Tomato Ketchup                      | No Effect |
| Vegetable Cooking Oil               | No Effect |
| Trisodium Phosphate Solution        | No Effect |
| Freshly Prepared Coffee             | No Effect |
| Freshly Prepared Tea                | No Effect |
| Fresh Whole Milk                    | No Effect |
| Citric Acid Solution                | No Effect |
| Plain Prepared Mustard              | No Effect |
| Distilled Vinegar                   | No Effect |
| Lipstick - Red                      | No Effect |
| Ink Washable Blue                   | No Effect |
| Grape Juice                         | No Effect |
| Merthiolate                         | No Effect |
| Wax Crayon - Black                  | No Effect |
| Shoe Polish - Black Paste           | No Effect |



#### 2.2.4 Tested under cover:

| Test                                    | Unit                                      | Method              | Result                          |
|---|---|---------------------|---------------------------------|
| Flexural Properties                     |   |                     |                                 |
| Flexural Strength                       | Psi                                       | A CTM D 700 00      | 6220                            |
| Flexural Modulus                        | Psi                                       | ASTM D790-00        | 1.40E+06                        |
| Tensile Properties                      |   |                     |                                 |
| Tensile Strength                        | Psi                                       | ASTM D638-01        | 4200                            |
| Tensile Modulus                         | Psi                                       | ASTM D036-01        | 1.30E+06                        |
| Tensile Elongation at break             | %   |                     | 0.5                             |
| Rockwell Hardness                       | M Scale                                   | ASTM D785-98        | 98                              |
| Barcol Hardness                         | Barcol Scale                              | ASTM D2583-95       | 60                              |
| Gouge Hardness                          |   | ASTM D3363          | 5H                              |
| Scratch Hardness                        |   |                     | 5H                              |
| Izod Impact                             | Foot pounds/inch                          | ASTM D256-00        | 0.25                            |
| Ball Impact Resistance                  | Inches of drop withno fracture            | NEMA LD3-2000 3.8   | 64                              |
| Cigarette Burn Resistance               | Pass/Fail                                 | CA 116              | Pass                            |
| Flame Spread                            | Flame Spread Index                        | ASTM E162-98        | 27                              |
| Flammability                            | Flammability Rating                       | ASTM 635-98         | No Ignition                     |
| Stain Resistance                        | Visual                                    | NEMA LD3-2000 3.4   | No Effect                       |
| Water Absorption                        | % Increase                                | ASTM D570-98        | 0.04                            |
| Density                                 | Gm/cc                                     |                     | 1.75 - 1.68                     |
| Specific Gravity                        | Sp gr 23/23 dig C                         | ASTM D792-00        | 1.6753                          |
| Coefficient of Linear Thermal Expansion | Inch/inch/dig C                           | ASTM D696-98        | 3.18E-05                        |
| Coefficient of Friction                 | Static Coefficient Kinetic<br>Coefficient | ASTM D1894-01       | 0.36<br>0.28                    |
| Thermal Conductivity                    | W/mk                                      | ASTM C518-98 mod.   | 0.37                            |
| Abrasion Resistance                     | Taber Abrasion Index                      | ASTM C501-84 1996   | 284                             |
| Wear Resistance                         | Weight Change after initial wear (%)      | NEMA LD3-2000 3. 13 | 0.1                             |
| High Temperature Resistance             | Visual                                    | NEMA LD3-2000 3.6   | No Effect                       |
| Heat Resistance                         | Visual                                    | ASTM D2288          | No Change at80 dig C for 2 hrs. |
| Boiling Water Resistance                | Visual                                    | NEMA LD3-2000 3.5   | No Effect                       |
| Radiant Heat Resistance                 | Time to failure in seconds                | NEMA LD3-2000 3.10  | No Failure occurred             |
| 60 Dig Hectometer Value                 | Spectral Glass                            | ASTM D523-89 1999   | 3.0                             |
| Dielectric Strength                     | Volts/0.001 inch                          | ASTM D1840-96       | >300                            |
| Volume Resistivity                      |   |                     | 4.65 E +13                      |
| Surface Resistivity                     | Ohms                                      | ASTM D257-99        | 1.60 E +15                      |
| Fungus Resistance                       | Visual Growth Rating ASTM D21-96 Rat      |                     | Rating 0 (no growth)            |
| Bacteria Resistance                     | Visual Growth Rating                      | ASTM D22-96         | Rating 0 (no growth)            |



# 2.2.5 Top Stone® versus others:

| Materials              |                    | Industrial Materials |          |               | Na   | itural Mate | rials  |
|------------------------|--------------------|----------------------|----------|---------------|------|-------------|--------|
| Characteristic         | Cultured<br>Marble | Ceramic              | Laminate | Top<br>Stone® | Wood | Granite     | Marble |
| Seamless Joints        | No                 | No                   | No       | Yes           | No   | No          | No     |
| Hygienic               | No                 | No                   | No       | Yes           | Yes  | No          | No     |
| Ease of Cleaning       | No                 | Yes                  | No       | Yes           | Yes  | Yes         | Yes    |
| Low Maintenance        | No                 | Yes                  | No       | Yes           | No   | Yes         | No     |
| Non-Porous             | No                 | No                   | No       | Yes           | No   | No          | No     |
| Homogeneous            | Yes                | Yes                  | Yes      | Yes           | No   | No          | No     |
| Bending                | No                 | No                   | Yes      | Yes           | Yes  | No          | No     |
| Surface<br>Renovation  | No                 | No                   | No       | Yes           | Yes  | No          | No     |
| Design Flexibility     | No                 | No                   | Yes      | Yes           | Yes  | No          | No     |
| Ease of Fabrication    | No                 | No                   | Yes      | Yes           | Yes  | No          | No     |
| Flat Products          | Yes                | Yes                  | Yes      | Yes           | No   | Yes         | Yes    |
| Curved Products        | No                 | No                   | Yes      | Yes           | Yes  | No          | No     |
| Custom Colors          | Yes                | Yes                  | Yes      | Yes           | No   | No          | No     |
| Custom Edge<br>Details | No                 | No                   | No       | Yes           | Yes  | No          | No     |
| Inlay Options          | Yes                | Yes                  | Yes      | Yes           | Yes  | No          | No     |
| Choice of Finish       | No                 | No                   | Yes      | Yes           | Yes  | No          | No     |
| Water Resistant        | No                 | Yes                  | No       | Yes           | No   | No          | No     |
| Weather Resistant      | No                 | Yes                  | No       | Yes           | No   | Yes         | No     |
| Bullet Resistant       | No                 | No                   | No       | Yes           | No   | No          | No     |
| Chemical Resistant     | No                 | No                   | No       | Yes           | Yes  | Yes         | No     |
| Fire Retardant         | No                 | Yes                  | Yes      | Yes           | No   | Yes         | No     |
| 14-Year Warranty       |                    |                      |          |               |      |             |        |



#### 2.3 Features and benefits:



Thanks to its impermeability to dirt, bacteria, viruses and countless chemicals, Top Stone® is the ideal material for the hospital, medical practice or laboratory. And for all other areas where hygiene really counts.



#### 3D DESIGN

Top Stone® boasts a simple heating process and three-dimensional thermoplastic forming capabilities. This allows for greater forming flexibility compared with other conventional materials so that spectacular ideas can quickly take on a concrete shape.



#### EASY TO KEEP CLEAN

No grout, no sink lip, no seam gaps.



#### RENEWABLE

Since the color runs all the way through, marks and scratches can be removed easily to restore it to its original condition.



#### DURABLE

Stronger surface with durability similar to that of natural stone - , Top Stone® stands up to everyday scratches. Should you accidentally inflict a deeper scratch or surface impression, a trained professional can easily resurface your, Top Stone® thanks to its sealant-free consistency.



#### SIMPLEPROCESSING

Although Top Stone® is almost as robust as stone, it can be worked in the same way as wood. Using conventional carpenter's tools, this solid surface material can be sawn, routed or drilled.



#### HEAT RESISTANT

Backed up with numerous certificates that attest of its heat resistance, Top Stone® is ideal for places where security is the number 1 criteria of choice.







#### WIDERANGEOFSHAPE

Every option is available to designers to create neat washrooms, kitchens, hospitals and much more with our wide range Top Stone® sinks and bowls.

Perfectly coordinated and ideal for mixing and matching, the bowls and sinks guarantee a modern look that is easy and simple to look.



#### UNLIMITEDSPECTRUM OFCOLOR

Top Stone® offers a virtually limitless range of colors in all conceivable shades. More are being added every year no matter what color you choose Top Stone® remains 100% homogeneous.



#### WARRANTY

Top Stone® surfaces come with the protection of a 14-year transferable residential limited warranty

#### STAIN RESISTANT

Stains can't permeate and are easily removed; never requires sealing



#### LONG-LASTINGBEAUTY

Showpiece quality with high investment value. Contemporary to traditional, with a timeless look that adds warmth to your kitchen and never goes out of style.

-free consistency.





#### WATER RESISTANT

Thanks to its non-porous surface, Top Stone® is suitable for humid areas where moisture can form such as wet rooms and bathrooms.



#### SEAMLESSPERFECTION


Top Stone® allows for visually seamless manipulation. Smooth integration enables large areas without joints or edges as well as flush mounting of sinks or bowls.




#### 2.4 Vanity products:

A Top Stone® sink or basin will always be the most outstanding feature in any kitchen or bathroom unit. Its ergonometric design and smoothly flowing surfaces elegantly blend with any motif to create a myriad of size shape and color possibilities. Projecting a unique individuality to any kitchen or bathroom suite.

#### 2.4.1 Kitchen sink:




#### 2.4.2 Vanity basin:








#### 2.4.1 Kitchen Sink:
























# 2.4.3 Vanity Basin:






























### 2.5 Top Stone® applications:

#### 2.5.1 Hotels (possible areas of use.)

- Vanity units
- Shower cubicles
- Bathroom cladding
- Bar counter
- Restaurants
- Food counter
- Table tops
- Column cladding

- Reception counters
- Signs
- Water fountains
- Decorations
- Wall cladding
- Elevator flooring
- Business center

#### 2.5.2 Hospitals and laboratories (possible areas of use.)

- Sterile rooms
- Clean rooms
- Laboratories worktops
- General surgery
- Blood transfusion centers
- Dental
- Pharmacy preparation
- Reception counters

- Bathrooms and shower cladding
- Wet areas
- Computer work stations
- Food service counters
- Conference tables
- Office desks
- Vanity tops
- Vanities

#### 2.5.3 Offices (possible areas of use.)

- Receptions
- Staff restaurant tables and counters
- Office tables

- Toilets
- Computer work stations
- Board room and conference tables



#### 2.5.4 Banks and commercial buildings (possible areas of use.)

- Teller and form counters
- Wall cladding
- Reception and office desks
- Internal signs
- Column cladding
- Board room and conference tables

- Company emblems
- Toilets
- Computer work station
- Elevator flooring
- Decorative features

#### 2.5.5 Leisure complexes (possible areas of use.)

- Vanity units
- Shower cubicles
- Bar counters
- Restaurants
- Food counters
- Table tops

- Column cladding
- Reception counter
- Internal sign
- Water fountains
- Decoration
- Wall cladding

#### 2.5.6 Shops (possible areas of use.)

- Shop fronts
- Internal sign boards
- Checkout counter
- Display counter
- Display shelves
- Customer service counter

- Wall cladding
- Reception counter
- Column counter
- Vanity units
- Toilets



#### 2.5.7 Fast food and formal dining halls (possible areas of use.)

- Foods preparation
- Food service counters
- Tables
- Bars
- Kitchen wall cladding
- Internal signs
- Toilets

- Cashier counters
- Industrial (possible areas of use.)
- Canteen tables
- Food service counters
- Amenity rooms
- Work benches
- Laboratories

#### 2.5.8 Transportation (possible areas of use.)

- Vanity units
- Tables
- Bars
- Counters

- Bulk head cladding
- Food counters
- Pursers information desks
- Cruise ship medical facilities

#### 2.5.9 Ticket office domestic (possible areas of use.)

- Vanity units
- Shower cubicles
- Wall cladding
- High back splashes
- Dining tables
- Bath panels
- Bath & shower surrounds



# **Projects highlight:**

| Logo   | Projects                        | Top Stone® implementation as  |
|--|---------------------------------|---|
| STANDIN I SSON   | Saudi Aramco                    | <ul> <li>Wall cladding</li> <li>Offices tables</li> </ul>           |
| قيعومسا وكمارا<br>Saudi Aramco   | SABIC                           | <ul><li>Computer work station</li><li>Wall-cladding</li></ul>       |
| منابک<br>منام  |                                 | <ul><li>Board room and conference tables</li><li>Vanities</li></ul> |
| MA'ADEH VÜJLEG<br>Sadi Ratan Minig dingan janusuksuksuksuksuksuk           | Ma'aden                         | <ul><li>Reception counter</li><li>Toilets</li></ul>                 |
| OAR ALARKAN  | Dar Al-Arkan                    | <ul><li>Wall cladding</li><li>Toilets</li></ul>                     |
|  | King Faisal Specialist Hospital | <ul><li> Vanities</li><li> Kitchen top</li></ul>                    |
| DR SULAIMAN AL HABIB  microsignus di publisgensi                           | Sulaiman Al-Habib Hospital      | <ul><li>Reception counter</li><li>Pharmacy preparation</li></ul>    |
| and age this age.  | King Fahad Medical City         | <ul><li>Reception counter</li><li>Vanities</li></ul>                |
|  | National Guard Hospital         | <ul><li>Reception counter</li><li>Vanities</li></ul>                |
| رالعيكان الراحية<br>Al Rajhi Bank  | Al Rajhi Bank                   | <ul><li>Wall cladding</li><li>Counters</li></ul>                    |
| بنگلبالا<br>Bank Albilad   | Al Bilad Bank / Enjaz           | • Teller and form counters  |
| Cana Pian a cian aggi a publi sada p<br>terior suanti in dire alama manany | Princess Noura University       | <ul><li> Vanities</li><li> Counters</li></ul>                       |
| CHERLEY!   | Herfy                           | <ul><li> Vanities</li><li> Counters</li></ul>                       |



## 4. Projects Reference List:

#### 4.1 Hotels:

- Riyadh Palace Hotel (RIYADH)
- Marriot Hotel (RIYADH)
- Park Inn Hotel Cornice (DAMMAM)
- Al Rawabi Tower (AL KHOBAR))
- Novotel Yanbu Hotel (JEDDAH)
- Al Zahed Hotel Suites (JEDDAH)
- Gulf Hotel (JEDDAH)
- Al Arjan Project Residential Complex (AL FURSAN)
- Sheraton Hotel Al Hada (TAIF)
- Royal Meridian Hotel (BAHRAIN)
- Sheraton Hotel (BAHRAIN)
- Diplomat Hotel (BAHRAIN)
- Casablanca Hotel (BAHRAIN)
- Al Bandar Groups of Hotels (BAHRAIN)

- Jumerah Beach Hotel (DUBAI UAE)
- Cairo Marriot Hotel (EGYPT)
- Cairo Sheraton Hotel (EGYPT)
- Shephard Hotel (EGYPT)
- Movenpick Helioplis Hotel (EGYPT)
- Movenpick Hotel (DEAD SEA -JORDON)
- Marriot Hotel Amman (JORDON)
- Novotel Hotel (POLAND)
- Orion Hotel Sosnowiec (POLAND)
- Marine Housing Project
- Alandalusyah Hotel project
- Marine Housing Project
- Alandalusyah Hotel project



#### 4.2 Hospital and laboratories:

- King Faisal Specialist Hospital (RIYADH)
- King Fahad Medical City (RIYADH)
- Obied Hospital Expansion Project (RIYADH)
- Al Falah Hospital (RIYADH)
- GOSI / Al Raya Hospital (RIYADH)
- Al Faqeh Kidney Hospital (JEDDAH)
- National Guards Hospital (RIYADH)
- Military Hospital Al Hada (TAIF)
- Al Manea Hospital (Al HASA)
- King Fahad Hospital (AL BAHA)
- King Abdul Aziz Hospital (JEDDAH)
- King Khaled Hospital (JEDDAH)
- King Khaled Hospital (RIYADH)
- Dahran Hospital (EASTERN REGION)
- Al Shami Hospital (Al HASA)
- Al Reen Hospital (AL AFLAJ)
- Al Mawasat Hospital (AL KHOBAR)
- Al Yamamah Hospital (RIYADH)
- King Fahd Specialized Hospital (QASSIM)
- Central Hospital (BURAIDAH)
- Mental Health Hospital (QASSIM)
- Mental Health Hospital (ARAAR)
- Dr. Sulaiman Al Habib Medical Center Project (RIYADH and QASSIM)

- Noorana Clinic {Three Clinic} (RIYADH)
- Tadawee Clinic (RIYADH)
- Ibtesamah Dental Clinic (RIYADH)
- General Organization for Health Affairs project (RIYADH)
- Al Andaleeb Clinic (RIYADH)
- Al Noor Dental Department Hospital (MAKKAH)
- King Faisal Specialized Hospital (TAIF)
- BDF Hospital (BAHRAIN)
- Belbis Hospital (EGYPT)
- Cleopatra Hospital (EGYPT)
- Al Zawya Al Hamra Hospital (EGYPT)
- Om Al Masrien Hospital (EGYPT)
- Military Force Hospital (EGYPT)
- Al Maza Hospital (EGYPT)
- Sumeshi Hospital (RIYADH)
- Military Hospital (RIYADH)
- Security Forces Hospital (RIYADH)
- King faisal Hospital Research Department (JEDDAH)
- Al Jadaani Hospital(JEDDAH)
- Security Forces Hospital (MAKAH)
- King Fahd Specialized Hospital {Armed Forces} (JEDDAH)
- Hani Al-Raqban Hospital (JEDDAH)
- Sulaiman Fakeeh Hospital (JEDDAH)





#### 4.3 Ministries and offices:

- The Royal Commission for Jubail and Yanbu (JUBAIL)
- Riyadh Police Department (RIYADH)
- Makkah Muncipal Headquarters (JEDDAH)
- Al Tayar Travel Agency (RIYADH)
- United Travel Agency (RIYADH)
- Taibah Agency (RIYADH)
- Al Rajhiand Al Musten (RIYADH)
- New Horizon (RIYADH JEDDAH )
- Arabian Auto Agency (RIYADH)
- Libyan Embassy (RIYADH)
- Green Silos Flour Mills Headquarters Building (RIYADH)
- Real Estate Development Fund Headquarters Building (RIYADH)
- Al Beesha Airport Building (AL BEESHA)

- Emirates Airline New Technical Center (DUBAI UAE)
- Gulf Air Headquarters Building (BAHRAIN)
- Bahrain Telecommunications Co Tower (BAHRAIN)
- American Naval Base (BAHRAIN)
- Dar Al Watan for Publication and Advertising (KUWAIT)
- Al Sharq News Paper (QATAR)
- Royal Jordanian Airlines Offices (JORDON)
- Queen Alia Airport (JORDON)
- Heat and Power Plant (POLAND)
- Shoe Factory Befado (POLAND)
- City Hall (POLAND)
- Arthur Anderson Company (POLAND)

#### 4.4 Banks and commercial buildings:

- Al Rajhi Banking and Investment Co. (WHOLE KINGDOM)
- Al Bilad Bank (WHOLE KINGDOM)
- AT and T (RIYADH)
- National Commercial Bank (RIYADH)
- South Center Mall (JEDDAH)
- International Golden Center (JEDDAH)
- Al Rashid Mall (AL KHOBAR)
- Giant Store (AL KHOBAR)
- Al Habib Mall (ASIR)
- Al Hokair Center (TABOOK)
- Central Bank (KUWAIT)

- Islamic Jordon Bank (JORDON)
- Al Bida Tower (QATAR)
- H.E Sheikh Tahnoon Tower (UAE)
- Bank Spółdzielczy (POLAND)
- Post Office Bank (POLAND)
- Bank of PrzemyslowoHandlowy (POLAND)
- Bahrain and Kuwait Insurance Co. (BAHRAIN)
- Al Ahli Bank (EGYPT)
- Housing Bank (JORDON)
- Al Baraka Bank (BAHRAIN)
- Bahrain Exhibition Center (BAHRAIN)





#### 4.5 Leisure complexes:

- Al Luluo Recreation Center (DAMMAM)
- Al Huwailat Recreation Center (DAMMAM)
- Al Fanateer Recreation Center (DAMMAM)
- Abu Dhabi Race Course and Golf Complex (UAE)
- Somouha Club (EGYPT)
- Royal Car Club (JORDON)

#### **4.6 Shops:**

- Mobily Sales Center (WHOLE KINGDOM)
- Al Jazeerah Car Showrooms (RIYADH, ABHA)
- Toyota Cars Showroom (RIYADH)
- Mahmoud Saeed Showroom (RIYADH)
- Jamjoom Comercial Center (JEDDAH)
- Debenhams Kingdom Center (RIYADH)
- Toyota Showroom (QATAR)
- Ramsis Co. for Medical Supplies (EGYPT)
- Fast Food, Restaurants, and Formal Dining Halls
- Al Tazaj Restaurants (ALL KINGDOM)
- Herfy Restaurants (ALL KINGDOM)
- Kentucky Fried Chicken {KFC} Restaurants (ALL KINGDOM)
- Hardees Restaurants (ALL KINGDOM)
- Barger King Restaurants (ALL KINGDOM)

- Al Hayat Restaurants (ALL KINGDOM)
- McDonalds Restaurants (ALL KINGDOM)
- 2 in 1 Restaurants (RIYADH)
- Mac Bees Restaurants (RIYADH)
- Mazar Restaurants (RIYADH)
- Cone Zone (RIYADH)
- Zaat Restaurants (RIYADH)
- Al Tazaj Restaurants (QATAR)
- Al Tazajand Al Laziz Restaurants (KUWAIT)
- Danah Restaurants (KUWAIT)
- Domino's Pizza (BAHRAIN)
- Twingo Restaurants (EGYPT)
- Pizza Hut, KFC, Tikka Wimpy (EGYPT)
- McDonalds Restaurants (MUSCAT)



#### 4.7 Domestic:

- Al Salam Royal Palace (RIYADH)
- Al Yamama Royal Palace (RIYADH)
- HRH Prince Turki bin Nasser (RIYADH)
- HRH Prince Mohammed bin Bandar (RIYADH)
- Nasir Al Rajhi's Villas (RIYADH)
- Ministry of Foreign Affairs Housing (RIYADH)
- Yanpet (SABIC) Housing Project (YANBU)
- Petrokemiya (SABIC) Housing Project (JUBAIL)
- ARAMCO Housing (DHAHRAN)

- Arabian Home Compound (RIYADH)
- Najad Compound (RIYADH)
- Palm Desert Compound No 2 (RIYADH)
- Palm Desert Compound No 3.(RIYADH)
- Al Saidan Housing Compound (RIYADH)
- Al Jamaz Residential Compound (RIYADH)
- Al Warood Housing Compound (RIYADH)
- Durrat Al Khobar (AL KHOBAR)
- Al Nakheel Village (JUBAIL)

#### 4.8 Educational institutions:

- Princess Jawaher Center for Handicapped Rehabilitation (DAMMAM)
- King Fahad University of Petroleum and Minerals (DHAHRAN)
- King Abdul Aziz University (JEDDAH)
- Saudi Benevolent Association for Disabled Children's (RIYADH)
- Riyadh School (RIYADH)
- Al Rowad School (RIYADH)
- Al Farroq Training Center (DAMMAM)
- Technical College Housing (WESTERN REGION)
- King Saud University Housing Project

- Technical Training College Housing (SOUTHERN REGION)
- Faculty of Agriculture Cairo University (EGYPT)
- Al Qussaim University
- Ministry Of Education
- Islamic Education Schools
- Princess Nourah Bint Abd El Rahman University
- Imam Mohammed bin Saud Islamic University Project
- General Organization of retirees Elm project

5. Licenses and Certificates:





# شهادة سعودة

تاريخ الإصدار: ٥./١ ١٤٤٢/١

تاريخ صلاحية الشهادة : ١٤٤٣٧.٢/.٨

رقم الشهادة: . ٢٨٥. ١٦. ١٦. ٢

اسم المنشأة: مصنع الرميزان للاسطح الصناعية المقاومة فرع شركة مجموعة الرمي

رقم الملف: ١-٨١.٦٦

سجل تجاري: ۱.۱.۱۳۱۹.۲

الصادر من: **الرياض** 

تشهد وزارة العمل والتنمية الدجتماعية بأن المنشأة المذكورة أعلاه حققت نسب التوطين المظلوبة منها.. وتم منحها هذه الشهادة حسب طلبها

(الشهادة معتمدة من صاحب الصلاحية ولا تحتاج إلى توقيع أو ختم)

ا - يمكن التحقق من صحة وصلاحية الشهادة عبر زيارة الرابط:







#### يزارة الطاقة والصناعة والثروة المعدنية

#### استثمار وطني

رمزالمنشأة ۱۱۳۲۲ تاريخ الترخيص ۲۵-۱-۱۶۵۱ تاريخ القرار ۲۵-۱-۱۶۵۱ نوع القرار تعديل رقم القرار ۲۰۰۷-۱۰۵۱ تاريخ الانتهاء ۲۵-۱-۱۶۵۲

اسم المنشأة الصناعية مصنع الرميزان للأسطح الصناعية المقاومة هاتف ٦٦٢٦٣٠ - ١٩٦٦٥٩٠

السجل التجاري للمنشأة الصناعية ١٠١٠١٣١٩٠٢ فاكس

مالك المنشأة شركة مجموعة الرميزان للتجاره المحدوده موقع المنشأة الصناعية (N46.89186930656433 ,E24.545649537500605)

عدد العمالة 10۸ مائة و ثمانية و خمسون فرداً حجم الاستثمار ۲۱۲۰۰ واحد و عشرون مليون و مائتين و خمسة و ستون ألفا و خمسة و ستون ريال و خمسة و عشرون هللة

| رمز المنتج | وصف المنتج                                | النشاط الصناعي  | الطاقة الانتاجية | الوحدة    |
|------------|---|---|------------------|-----------|
| ۳۹۲۲۹۰۰۰   | احواض ومجالي من الرخام الصناعي<br>المقاوم | ۱۳۲۰۳۷ / صناعة لوازم صحية من اللدائن ، يشمل ( أحواض الغسيل والإستحمام والمراحيض<br>الذ )                          | 11               | وحدة      |
| 7161.42    | اسطح رخام صناعي                           | -١٣٣٦٥ / صناعة منتجات من الرخام ، يشمل ( المطابخ والمغاسل والتحف والأحواض والتماثيل<br>والنحت والرسم وما شابهها ) | 180              | متر مربع  |
| ۳۵۰٦٩۱۰۰   | غراء للرخام الصناعي                       | -٢٣٩٥٩ / أنشطة أخرى لصناعة الأصناف المنتجة من الخرسانة والأسمنت والجبس  | 0                | کیلو غرام |

وزير الصناعة والثروة المعدنية

بندر بن إبراهيم الخريف



#### التعليمات الخاصة بتنفيذ الترخيص

- الالتزام بمواد قانون (نظام) التنظيم الصناعي الموحد لدول مجلس التعاون لدول الخليج العربية ولائحته التنفذية.
  - ٢. عدم إجراء أي توسعة أو تعديل في المنتجات قبل الحصول على موافقة الوزارة.
  - ٣. الالتزام بتحديث بيانات المصنع كل ستة اشهر من خلال موقع الوزارة الالكتروني.
- التزام مطابقة المنتجات للمواصفات والمقاييس المعتمدة أو المواصفات المتبناة من الهيئة السعودية للمواصفات والمقاييس.
  - 0. الالتزام بمواد النظام العام للبيئة ولائحته التنفيذية للمحافظة على البيئة من التلوث.
    - ٦. الالتزام بالأنظمة والتعليمات ولوائح السلامة والأمن الصناعي والصحة العامة.
- ٧. ان تكون حسابات المشروع الصناعي منتظمة وفقاً للأصول المحاسبية و القواعد القانونية المرعية وأن يزود الوزارة بالميزانية العمومية مصادق عليها من محاسب قانوني لكل سنة مالية.
  - ٨. عدم إساءة استعمال المزايا الممنوحة للمشروع.
  - ٩. تزويد الوزارة بما تطلبه من بيانات كاملة وصحيحة عن المشروع.
- السماح لموظفي الوزارة بدخول المشروع الصناعي والإطلاع على السجلات والمستندات والحسابات ومراقبة عملية الإنتاج وغير ذلك من نشاطات المشروع.
- ١١. لايجوز إقامة مشروع صناعي أو توسعته أو تطويره أو تغيير منتجاته أو دمجه بمشروع صناعي

www.meim.gov.sa







# رمزك التجاري QR Code

من خلاله يمكنك التحقق المباشر من معلومات:

- 🖊 السجل التجاري 👚 رخصة البلدية
- 🖊 شهادة السعودة 🖊 برنامج نطاقات
- 🖊 شهادة الزكاة 📁 الغرفة التجارية

♥¶◎ ■ SaudiMci www.mci.gov.sa







|   | اسم الشركة: <b>شركة مجموعة الرميزان للتجاره المحدوده</b>  |
|---|---|
|   | نوعها: <b>ذات مسئوليةمحدودة</b>   |
|   | مركزها الرئيسي: ا <b>لرياض / حي العليا شارع آل رميزان</b>   |
|   | ص ب:هاتف:الرمز البريدي:هاتف:هاتف:   |
|   | رقم سجل المركز الرئيسي:   |
| مجموعة الرميزان للتجارة   | الدسم التجاري: مصنع الرميزان للاسطح الصناعة المقاومة فرع شركة   |
|   |   |
|   | ص ب: ٨٨٠٨.٨الرمز البريدي: ٨٨٠٤.٨هاتف: ٨٠٠٨.   |
| فاسل والتحف والأحواض والتماثيل والنحت والرسم وما شابهها)، أنشطة أخرى لقطع ونشر الرخام |   |
|   |   |
|   |   |
|   |   |
|   | اســـم المــديـــر (ربــاعيــا): <b>ونيد صالح الرميزان</b>  |
|   | اســـم المـديـــر (ربــاعيــا): <b>ونيد صالح الرميزان</b><br>الجنسيـــــــــــة: <b>ســـعودي</b>  |
|   | اســـم المـديـــر (ربــاعيــا): <b>ونيد صالح الرميزان</b><br>الجنسيـــــــــــة: <b>ســـعودي</b>  |
| تاريخ الميلاد: <b>١٣٩٨. ه</b> مكان الميلاد:   | اســـم المــديـــر (ربــاعيـــا): وليد صالح الرميزان<br>الجنسيــــــــــة:ــــــــعودي<br>رقم السجل المدني:ــــــــــــــــــــــــــــــــ |
|   | اســـم المــديـــر (ربــاعيــا): <b>وليد صالح الرميزان.</b>   |



#### أخي/أختى

السلام عليكم ورحمة الله وبركاته....

يسعدني ان ارحب بك، واهنئك بدخول عالم الأعمال التجارية. أدعو الله لك بالتوفيق و النجاح لتكون داعماً لإقتصاد المملكة العربية السعودية. و الوزارة عبر قنواتها الإلكترونية وكافة فروعها على استعداد تام ودائم لتقديم كافة الخدمات التي تساعدك على تحقيق طموحاتك واهدافك.

وهذه المناسبة يسرني اطلاعك على الإجراءات التي تمت بمجرد إصداركم للسجل التجاري:

- تم تسجيل منشأتكم لدى وزراة العمل و التنمية الإجتماعية.
- تم تسجيل منشأتكم لدى المؤسسة العامة للتأمينات الإجتماعية.
  - تم تسجيل منشأتكم لدى الهيئة العامة للزكاة و الدخل.
    - تم اصدار رخصة بلدية فورية (في حال اختياركم).
      - تم تسجيل منشأتكم لدى الغرفة التجارية.

تذكر انه بإمكانك فتح حساب بنكي مكتمل دون الحاجة إلى اي اختام، ولست ملزماً بدفع رسوم خدمات واصل التجاري للسنة الأولى.

لمزيد من الإستفسارات، يمكنكم التواصل مع مركز إتصال خدمات الأعمال 920000667.

متمنياً لكم التوفيق والنجاح،،،

وزير التجارة والاستثمار رئيس اللجنة التنفيذية لتحسين أداء الأعمال في القطاع الخاص

د. ماجد بن عبدالله القصبي

الرياض Riyadh 11162 کے 00966 1 401 2222 کہ Riyadh 11162 کہ المرکبة العربية العبودية Kingdom of Saudi Arabia

www.mci.gov.sa



التاريخ ١٤٤٢/١١/٠٦ الموافق ٢٠٢١/٠٦/١٦ رمز الشهادة ٣٩٢٩٠٢٢٨

#### شهادة

إسم المنشأة: شركة مجموعة الرميزان التجارة المحدوده

ص.ب : ٥٠٨٥٥ الرياض ١١٥٣٣ السعودية

المعمودية رقم الإشتراك :

اك: ۱۳۲۳۷۹٤۸

رقم السُجلُ التجاري: ١٠١٠١١٧٩٥٩

مصدره: الرياض

| كتابة                       | رقما |                             |
|-----------------------------|------|-----------------------------|
| ثلاثون مشتركا               | ۳.   | عدد المشتركين السعوديين     |
| مائة و واحد و ثلاثون مشتركا | 171  | عدد المشتركين غير السعودبين |
| مانة و واحد و ستون مشتركا   | 171  | المجموع                     |

تشهد المؤسسة العامة للتأمينات الإجتماعية بأن المنشأة المذكورة أعلاه قد أوفت بالتزاماتها تجاه المؤسسة وفق البيانات المقدمة منها حتى تاريخ إصدار هذه الشهادة ، والتي تم منحها لتقديمها لأية جهة تطلبها ، وهي صالحة لجميع الأغراض التي نص عليها نظام التأمينات الإجتماعية في المادة (٦/١٩) منه.

هذه الشهادة سارية المفعول حتى ١٤٤٢/١٢/٠٦ هـ

يلزم التحقق من صحة وصلاحية الشهادة عبر زيارة الرابط أدناه في الموقع الإلكتروني للمؤسسة العامة للتأمينات الإجتماعية

عن طريق استخدام الرمز المعرف التالي:



#### www.gosi.gov.sa/vc

( الشهادة معتمدة من صاحب الصلاحية ولا تحتاج إلى توقيع أو ختم )







تند هذه الشهادة من الوثاقق الالكترونية الحكومية الرسمية ، ويحظر قطعيا تلايدها أو إدخال أي تعديلات عليها سواء بالإضافة أو الحقف أو التغيير في بيناتها أو غير ذلك من الواع التعديل ، وتعد الشهادة لاغية إذا شليها شيء من ذلك ، كما تعرض صلحبها الملاحقة النظامية أمام الجهات المختصة بالإضافة إلى مايفرضه نظام التلمينات الاجتماعية من عقوبات ، ولايجوز تداول الشهادة إلا في الأغراض التي اصدرت لأجلها وفقا لأحكام نظام التأمينات الاجتماعية ، والمؤسسة العامة للتأمينات الاجتماعية غير مسؤوله عن أي أثار أخرى مترتبة قبل الغير عن الشهادة وغير مسؤولة عن أي عملية تزوير أو تعديل تتم على البيانات الواردة فيها .



رقم الشهادة : ۱٬۲۰۷۵۱۳۵۱ التاريخ : ۱٬۲۰۷۸۱۶۱۸ هـ الرقم المميز :۳۸۰۰۵۲۳۸۲۹



المملكة العربية السعودية الهيئة العامة للزكاة والدخل General Authority of Zakat & Tax

# <mark>شھادۃ</mark> CERTIFICATE

تشهد الهيئة العامة للزكاة والدخل بأن المكلف / شركة مجموعة الرميزان للتجارة المحدودة شركة رقم ۷۰٬۱۳۲۲۷۲۸ وسجل تجاري رقم ۱٬۱۱۷۹۵۹ رخصة رقم ۱۲۹۹۷۹ قدم إقراره عن الفترة المنتهيه في ۲٬۲۰/۱۲/۳۱م

وقد منح هذه الشهاده لتمكينه من إنهاء جميع معاملاته بما في ذلك صرف مستحقاته النهائية عن العقود.

> يسري مفعول هذه الشهادة حتى تاريخ ۱۶۶۳/۰۹/۲۹ هـ الموافق ۲۰۲۲/۰۶/۳۰ م. (التاسع و العشرون من رمضان ألف و أربعمائة و ثلاثة و أربعون هجرى)

> > الفروع ( ٨ ) في النموذج المرفق

الهيئة العامة للزكاة والدخل GENERAL AUTHORITY OF ZAKAT & TAX الشهادات

الختم الرسمى



رقـم الشهادة :۱۱۱۰۸٤٤۷۱۵ التاريخ : ۱۶۲۱۰۸۸۳۳ هـ الرقـم المميز : ۳۰۰۰۵۳۸۲۹



المملكة العربية السعودية الهيئة العامة للزكاة والدخل General Authority of Zakat & Tax

#### قائمة فروع المكلف شركة مجموعة الرميزان للتجارة المحدودة رخصة رقم ۱۲۹۹۷۹

| المدينة    | إسم الفرع                                 | الرخصة | رقم السجل        |
|------------|---|--------|------------------|
| الرياض     | مصنع الرميزان للاسطح الصناعية المقاومة    | PAVI   | 1.1.11119.       |
| الرياض     | الرميزان لمعدات صناعة الذهب               | 1РГ13  | 1-1-177770       |
| بريدة      | مجموعة الرميزان للتجاره المحدوده          | ΓΙΊΛΛ  | 11711777987      |
| الدمام     | فرع شركة مجموعة الرميزان للتجاره المحدوده | огі    | F+0++701E+       |
| جدة        | مصنع الرميزان للاسطح الصناعيه المقاومه    | ٦٨٠3   | 7PA1 Г • • 0 Г 3 |
| مكة المكرم | الرميزان لمعدات صناعة الذهب               | IPFI3  | 8.2.181.28       |
| المدينة ال | مصنع الرميزان للاسطح الصناعيه المقاومه    | 113    | 8.2.6.1.0        |
| الرياض     | مصنعالرميزان للاسطح الصناعيه المقاومه     | IVAA   | 1.1.27774        |

الهيئة العـامة للزكاة والدخل GENERAL AUTHORITY OF ZAKAT & TAX

الشهادات

الختم الرسمى



تاريخ الترخيص : ١٤٣٩/٠٢/٢١ هـ الرقم المميز : ٣٠٠٠٥٦٣٨٦٩







## شهادة تسجيل في ضريبة القيمة المضافة VAT registration certificate

تشهد الهيئة العامة للزكاة والدخل بأن المكلف: شركة مجموعة الرميزان للتجارة المحدودة مسجل في ضريبة القيمة المضافة بتاريخ: ١٤٣٩/٠٢/٢١ هـ، وتحمل الرقم الضريبي: ٣٠٠٠٥٦٣٨٦٩٠٠٠٣

عنوان المركز الرئيسي:

المدينة : الرياض الحي : المحمدية

صندوق البريد: الرمز البريدي: ١١٤٩٢

الهاتف: ١٩٦٦٥٠٣٣١٦١٥٩٠

الهيئة العامة للزكاة والدخل



هذه الوثيقة مرسلة من النظام الآلي ولا تحتاج إلى توقيع



122./. 4/14 التاريخ 7.11/11/71 الموافق رمز الشهادة ٣٧٨٧٧٢

#### شهادة

إسم المنشأة : شركة مجموعة الرميزان للتجارة المحدوده

ص.ب : ٥٠٨٥٥ الرياض ١١٥٣٣

السعودية

144444 رقم الإشتراك:

رقم السجل التجاري: ١٠١٠١١٧٩٥٩

مصدره: الرياض

| كتابة                        | رقما  |                             |
|------------------------------|-------|-----------------------------|
| أربعه و اربعون مشتركا        | £ £   | عدد المشتركين السعوديين     |
| مائة و اثنان و ثلاثون مشتركا | 144   | عدد المشتركين غير السعوديين |
| مائة و ستة و سبعون مشتركا    | 1 7 7 | المجموع                     |

تشهد المؤسسة العامة للتأمينات الإجتماعية بأن المنشأة المذكورة أعلاه قد أوفت بالتزاماتها تجاه المؤسسة وفق البيانات المقدمة منها حتى تاريخ إصدار هذه الشهادة ، والتي تم منحها لتقديمها لأية جهة تطلبها ، وهي صالحة لجميع الأغراض التي نص عليها نظام التأمينات الإجتماعية في المادة (٦/١٩) منه.

هذه الشهادة سارية المفعول حتى ١٤٤٠/٠٤١١ هـ


يلزم التحقق من صحة وصلاحية الشهادة عبر زيارة الرابط أدناه في الموقع الإلكتروني للمؤسسة العامة للتأمينات الإجتماعية

أو عن طريق استخدام الرمز المعرف التالي:



#### www.gosi.gov.sa/vc

(الشهادة معتمدة من صاحب الصلاحية ولا تحتاج إلى توقيع أو ختم)







تعد هذه الشهادة من الوثانق الاكترونية الحكومية الرسمية ، ويحظر قطعيا تقليدها أو إدخال أي تعديلات عليها سواء بالإضافة أو الحذف أو التغيير في بياناتها أو غير ذلك من انواع التعبيل ، وتعد الشهادة لاغية إذا شابها شيء من ذلك ، كما تعرض صاحبها للملاحقة النظامية أمام الجهات المختصة بالإضافة إلى مليفرضه نظام التأمينات الاجتماعية من عقوبات، ولايجوز تداول الشهادة إلا في الأغراض التي أصدرت لأجلها وفقا لأحكام نظام التأمينات الاجتماعية ، والمؤسسة العامة للتأمينات الاجتماعية غير مسؤوله عن أي آثار أخرى مترتبة قبل الغير عن الشهادة وغير مسؤولة عن أي عملية تزوير أو تعديل تتم على البيانات الواردة فيها .



#### شهادة اشتراك Membership Certificate



رقم العضوية الموحد : 41069 41069 41069

Date of Issue: 12/03/1992 1992/03/12 : تاريخ الاصدار: 1992/03/12

درجة العضوية : الاولى First

Riyadh Chamber Certifies

ROMAIZAN FOR RESISTANCE TO THE ROOFS OF INDUSTRIAL

مصنع الرميزان للاسطح الصناعية المقاومة (فرع شركة مجموعة الرميزان للتجارة)

مقيدة بالسجل التجاري / الترخيص رقم: 1010131902 1010131902 مقيدة بالسجل التجاري / الترخيص رقم:

 Certificate Expires on
 22/02/2022
 2022/02/22
 2022/02/22



- يلزم التحقق من الوثيقة عبر الرابط https://mybusiness.chamber.sa ، أو تطبيق (سند)
   للأجهزة المحمولة أو الرقم الموحد دون ادنى مسؤولية على الغرفة عن محتوى الوثيقة.
- تعد هذه الورقة من الوثائق الالكترونية لغرفة الرباض، ويمنع تعديلها اول محاولة العبث بها وتصبح لاغية حال محاولة تعديلها وتعرض صاحبها للملاحقة القانونية.

## 6. Quality Assurance Certificates:

2nd Surveillance due



# Certificate of Compliance INTEGRATED QUALITY CERTIFICATION PVT. LTD.

hereby certifies that the quality management systems of

# AL - ROMAIZAN FACTORY FOR SOLID SURFACES (TOP STONE)

Work Office: Riyadh, Kingdom of Saudi Arabia

has been assessed and conforms to the quality management systems

#### ISO 9001:2015

Scope: Manufacturing Fabrication & Installation of Resistant Solid surfaces Materials & Products.

Subdivision : 09 Initial issue date : NA
Class : 0919 Last expiry date : NA
Process(es) not applicable : None Current issue date : 23.10.2017
Ccrtificate number : KSA/QMS/JAS-C0009/1014 Current expiry date : 22.10.2018
Attachment(s) : None 1st Surveillance due : 22.10.2018

: 22.10.2019

H . Narasimhaiah Director

This certificate is valid subject to periodic surveillance audits of the quality management systems within the above defined scope as per agreed contract terms and conditions. The organization shall provide written notification to Integrated Quality Certification Pvt. Ltd. of any significant changes which have impact on the scope of this certificate of compliance

Corporate Office: Platinum City, G/13/03, Site # 02, Next to CMTI, HMT Road, Yeshwanthpur Post, Bangalore - 560 022, INDIA. Tel: +91(80) 41172752, 41277353 Fax: +91(80) 41280347 Email: iqccorporate@iqcglobal.com Website: www.iqcglobal.com, CIN: U74140KA2003PTC031851

KSA Representative: Apartment No. 4, Building No. 99, Youth Housing 70 Meters, Shorouk City, Cairo, Egypt Tcl: 00226061951, Fax: 002026061951 Email: unicertegypt@gmail.com

Please visit www.iqcglobal.com and / or www.jas-anz.org to verify the authenticity and validity of this certificate of compliance

# Proud member of:

# The Finest Professionals in the Kitchen & Bath Industry

National Kitchen & Bath Association<sup>SM</sup>

# THIS IS TO CERTIFY THAT

# ROMAIZAN FACTORY FOR SOLID SURFACE

IS A MEMBER IN GOOD STANDING FOR THE YEAR.

2006

The National Kitchen & Bath Association is an organization of the finest professionals in the kitchen and bath industry. NKBA members subscribe to the highest standards of ethical business conduct and effectively serve the needs of their community, providing quality and value in their products and services.

VALUED MEMBER SINCE: 5/27/2007

FRESIDENT, NATIONAL KITCHEN & BATH ASSICIATION Allan S. Petilison, CMKBD

# Certificate of Membership

# Al Romaizan Factory for Solid Surface Kingdom of Saudi Arabia

Is a member in good standing with the International Solid Surface Fabricators Association

ISSFA

November 2002 through November 2003

MRahooh

President

Hilary Concerse J Secretary

1438-1475545 (1438-147545)



المملكة العربية السعودية وزارة الصحة الوكالة الساعدة الشنون الهندسية الإدارة العاصة للشاريع إدارة الإشراف على التنفيذ

الوضوع ؛ طلب تاهيل مصنع الرميزان للأسطح السناعية

# السادة/ مصنع الرميزان للأسطح الصناعية $\omega$

المترمين

ت ، ۱۱۲۸۱۵۲۱۱۰ فاکس : ۲۲۲۵۸۲۱۱۰

الرياض ، ١١٤٩٢

ص.ب ۱۸۵۸

آلسلام عليكم ورحمة الله وبركاته ... وبعد ...

إشارة إلى خطابكم رقم قيد (١٤٢٥٠٥٠- ١٤٢٨) وتاريخ ١٤٣٨/٨/١٢ هـ بخصوص طلب تأهيلكم كمورد معتمد لنتجاتكم من الأسطح الصناعية للمغاسل والكاونترات في مشاريع الوزارة ،

نود أن نشكر لكم إهتمامكم بالشاركة بتقديم منتجاتكم لشاريع الوزارة ونفيدكم بانه قد تم دراسة ملف التأهيل الرفق بخطابكم، ويمكنكم تقديم منتجاتكم لشاريع الوزارة مع الإلتزام بمطابقتها مع مواصفات الشاريع بالوزارة . كعلى أن يتم تحديث الإعتماد كل ثلاث سنوات من تاريخه.

مع اطيب تحياتي وتقديري ...

مدير إدارة الإشراف على التنفيذ خراب المندس/فهد بن سعد السفيران Ref: KSUHS-2010/395A2 Date: December 27, 2010



All other terms & conditions mentioned in our previous contract referred above shall remain valid and unchanged.

This contract was done in two originals, each party kept one original for his reference.

The above shall be read and construed as a confirmation order for the execution of the said Sub-Contract Works.

FIRST PARTY (CONTRACTOR) and SECOND PARTY (SUBCONTRACTOR), through their respective undersigned authorized agents, hereby enter into this AGREEMENT as of the day, month and year first written above.

| For the FIRST PARTY      |   | For the SECOND PARTY               |
|--------------------------|---|------------------------------------|
| Saudi Binladin Group ABC | 1 | M/s. AL-ROMAIZAN FACTORY FOR SOLID |
| Division                 |   | SUREFACE                           |

CONTRACT DEPT.

1,0

WADDAH AL-ZAHRA

Cc: Proj.Exc. Manager
Project Chief Coordinator
Site Manager
Cost Control Dept.
Payment Certificat
Contract Department

#### XINGDOM OF SAUDI ARABIA

Ministry of Higher Education

KING FAISAL UNIVERSITY

Code (037)



التاريخ: ح) يه /

**11** 11~

الرقم: 🔿

Al-Romaizan Factory for Solid Surfaces. P.O.Box 4584 Riyadh 11492 Tel: 01-4647333

السادة/ مصنع الرميزان للأسطح الصناعية المقاومة ف:۲۰۲۹۲۵۱۰۱۰ ص.ب: ۸۰۸۴ الرياض ۱۱۴۹۲ ت: ۲۳۳۳ ۱۹۰۱

Fax: 01-4656925

السلام عليكم و رحمة الله و بركاته،،،

#### APPROVAL LETTER

This is in response to your request for your materials approval to start supplying our projects.

We are pleased to inform you that the Administration has approved you only for the following materials:

#### 1. Solid Acrylic Surfaces (Topstone).

As per the specification set by our administration, you will have to follow, failing which the approval may be withdrawn.

We hope you comply by the rules and regulations that have been enclosed with this letter.

We wish you all the luck and success in your venture.

Best regards,

شهادة إعتماد مورد

بالإشارة إلى طلبكم بشأن إعتماد مصنعكم كأحد الموردين المعتمدين في مشاريع المدينة الجامعية و بعد الإطلاع و دراسة المواد و المستندات الثبوتية و سابقة الأعمال المنفذة لمختلف المشاريع الحكومية و غير الحكومية التي قمتم بها و بعض المواد التي سيتم توريدها. عليه لا مانع لدينا من إعتماد مصنعكم لتوريد المواد التالية: .

#### 1. الرخام الأكريليكي (Topstone).

و نود التنويه لضرورة التقيد بالمواصفات الفنية الواردة في جميع المستندات التعاقدية لمشاريع المدينة الجامعية ، و إن ثبت خلاف ذلك سيتم سحب الإعتماد.

و تقيلوا فائق الإحترام و التقدير

مدير إدارق الحدينة الجامعية (KFU Campus Project Administrator)

طابع جزمعة الملك فيصك - 2088



Al-Romaizan Factory for solid surfaces, certifies the warranty on TOPSTONE surfaces for 14 years from the date of installation to the end user.

The responsibility of the factory will be limited only to the repair or replacement of the work surfaces upon the factories agreement that use and maintenance has been to the warranty instructions.

#### The warranty does not cover:

- 1- Scratches appear as a result of misuse.
- 2- Misuse or intended abuse.
- Transfer of the top without the factory knowledge.
- 4- Making any changes on the top after installation whether by the factory technicians or others.
- 5- Burns or defect as a result of the top being subject to direct heat.
- 6- Any defect resulted from the incorrect installation of the appliances.
- 7- Not following the instructions given by the factory.
- 8- Sinks and bowl.

# شهادة ضمان WARRANTY CERTIFICATE 14 Years

| Customer Name:                       | اسم العميــل:                |
|--------------------------------------|------------------------------|
| Distributor Name:                    | امهم المسوزع:                |
| Invoice No. and Date:                | رقم الفاتورة وتاريخها:       |
| Installation Date:<br>Factory Stamp: | تاريخ التركيب:<br>ختم الصنع: |

| 1    | For Company Use:     | لاستعمال الشركة:   |
|------|----------------------|--------------------|
| 1    | Product Application: | تطبيقات المنتج: ،  |
| 111  | Color No:            | رقم اللون: .       |
| 1111 | P.O.No:              | رقم أمر الإنتاج: . |
| 111  | Group No:            | رقم الطاقم: .      |

بهذا يشهد مصنع الرميزان للأسطح الصناعية المفاومة على ضمان أسطح "توب ستون" لمدة 18 عاماً من تاريخ التركيب لدى المستهلك، بحيث لا تتعدّى مسؤولية المصنع تصليح أو تغيير السطح المشمول بالضمان، بناء على اختيار المصنع ورغبته.

#### لا يشمل هذا الضمان الأتى:

- ١. الخدوش الناتجة عن سوء الاستعمال.
  - ٢. التلف المتعمد أو سوء الاستعمال.
  - نقل السطح بدون علم المصنع.
- إجراء أي تعديلات على السطح بعد عملية التركيب سواء من قبل فتى المصنع أو خارجه.
  - الحروق الناتجة عن تعرض السطح للحرارة المباشرة.
  - أي خلل في السطح ناتج عن عدم التركيب
     الصحيح لأجهزة الأفران.
    - ٧. عدم اتباع تعليمات المصنع،
      - ٨. الأحواض والمجالي،

لاتعتمد أي شهادة لاتحمل ختم المصنع.

Warranty claim not acceptable without this card



#### 7. Contacts:

Contact details of Top Stone® in Saudi Arabia:

Head Office Al Takhasusi Street, Al Mohamadiah Complex,

P.O.Box 8584 Riyadh 11492, Tel No. +966(0)11 281 5337, Fax No.+966(0)11 281 5338,

Riyadh P.O.Box 8584

Tel. +966(0)11 2814488 Fax +966(0)11 2815338

Dammam P.O.Box 8584

Tel. +966(0)13 8310024 Fax +966(0)13 8170753

Jeddah P.O.Box 8584

Tel. +966(0)12 6519430 Fax +966(0)12 6518876

Madinah P.O.Box 8584

Tel. +966(0)14 8481236 Fax +966(0)14 8488975

Qassim P.O.Box 8584

Tel. +966(0)16 3852026 Fax +966(0)16 3822049

Abha P.O.Box 8584

Tel. +966(0)17 2382823 Fax +966(0)17 2382818

Customer Service 8001240133

E-mail info@top-stone.com

Website <u>www.top-stone.com</u>